

FIREBOX T25

Available with optional integrated Wi-Fi 6 wireless module Up to 3.14 Gbps firewall throughput, 5 x 1Gb ports, 10 Branch Office VPNs



ENTERPRISE-GRADE SECURITY FOR SMALL AND HOME OFFICES

Designed to protect enterprise users where they connect – in the small office/home office – the Firebox T25 allows businesses to extend powerful network security to the remote workforce. With more features than any other small form-factor UTM firewall in its class, the Firebox T25 is a cost-effective security powerhouse that delivers enterprise-grade security in a small package.

"I've been using WatchGuard for 14 years, and I've never had any reason to change that because WatchGuard continues to innovate and give me what I need and what my customers need."

~ Jodi Gawf, Owner, Saje Network Systems

PROTECT WHERE YOU CONNECT

WatchGuard Firebox T25 is a small form-factor appliance that brings big security to any environment your users connect from. Perfect for home and small office networks, Firebox T25 is a cost-effective security powerhouse that delivers a complete and industry-best set of threat management solutions, including gateway antivirus, content & URL filtering, antispam, intrusion prevention, and application control, all in an easy-to-manage package.

QUICK AND SIMPLE DEPLOYMENT

Zero-touch deployment makes it possible to eliminate much of the labor involved in setting up a Firebox to connect to your network - all without having to leave your office. A robust, Cloud-based deployment and configuration tool comes standard with WatchGuard Firebox appliances. Local staff connects the device to power and the Internet, and the appliance connects to the Cloud for all its configuration settings.

UNIFIED SECURITY PLATFORM® ARCHITECTURE

WatchGuard's Unified Security Platform framework is built from the ground up to enable a single console solution for provisioning, deploying, managing, and monitoring an integrated portfolio of advanced cybersecurity solutions and services. This comprehensive portfolio of endpoint, multi-factor authentication, Wi-Fi, and network security solutions (including Firebox firewall appliances) helps stop the attempted discovery and exploitation of vulnerable systems, phishing, ransomware, intrusions, and advanced malware across all users, environments, and devices. Our Unified Security Platform architecture replaces the old patchwork security approach and makes it possible to extend security capabilities to every computing environment where your business operates.

NETWORK OPTIMIZATION WITH SD-WAN

The Firebox T25 makes network optimization easy. With integrated SD-WAN, you can decrease your use of expensive MPLS or cellular connections and inspect traffic from small offices while improving the resiliency and performance of your network.

FEATURES & BENEFITS

- 5 Gigabit Ethernet ports support high-speed LAN backbone infrastructures & gigabit WAN connections.
- Wi-Fi capable Firebox T25-W supports the 802.11ax Wi-Fi 6 standard, ensuring fast speeds for your users. Dual concurrent 5 GHz and 2.4 GHz radios.
- All logging and reporting functions included with purchase, with over 100 dashboards and reports including PCI and HIPAA.

Firebox T25/ T25-W	TECHNICAL SPECIFICATIONS	
THROUGHPUT ¹		
UTM (full scan) ²	403 Mbps	
Firewall (IMIX)	900 Mbps	
VPN (IMIX)	300 Mbps	
HTTPS Content Inspection (IPS enabled) ³	216 Mbps	
Antivirus	472 Mbps	
IPS (full scan)	525 Mbps	
Firewall (UDP 1518)	3.14 Gbps	
VPN (UDP 1518)	1.02 Gbps	
CAPACITY		
Interfaces 10/100/1000	5	
I/O interfaces	1 Serial/2 USB	
Concurrent connections	1,300,000	
Concurrent connections (Proxy)	1,300,000	
New connections per second	16,000	
VLANs	10	
WSM licenses (incl)	0	
VPN TUNNELS		
Branch Office VPN	10	
Mobile VPN	10	
SECURITY FEATURES		
Firewall	Stateful packet inspection, TLS decryption, proxy firewall	
Application proxies	HTTP, HTTPS, FTP, DNS, TCP/UDP, POP3S, SMTPS, IMAPS and Explicit Proxy	
Threat protection	DoS attacks, fragmented & malformed packets, blended threats	
Filtering options	Browser Safe Search, Google for Business	
VPN		
Site to Site VPN	IKEv2, IPSec, Policy and Route Based Tunnels, TLS hub and spoke	
Remote Access VPN	IKEv2, IPSec, L2TP, TLS	
VISIBILITY		
Logging and notifications	WatchGuard Cloud & Dimension, Syslog, SNMP v2/v3	
Reporting	WatchGuard Cloud includes over 100 pre-defined reports, executive summary and visibility tools	
CERTIFICATIONS		
Security	Pending: CC, FIPS 140-2	
Safety	NRTL/CB	
Network	IPv6 Ready Gold (routing)	
Hazardous substance control	WEEE, RoHS, REACH	
NETWORKING		
SD-WAN	Multi-WAN failover, dynamic path selection, jitter/loss/latency measurement	
Dynamic Routing	RIP, OSPF, BGP	
High Availability	Active/passive, active/active	
QoS	802.1Q, DSCP, IP Precedence	
Traffic Management	By policy or application	
IP address assignment	Static, DHCP (server, client, relay), PPPoE, DynDNS	
NAT	Static, dynamic, 1:1, IPSec traversal, policy-based	

Link aggregation





PHYSICAL AND POWER SPECIFICATIONS

Product Dimensions (W x D x H)	8" x 8.5" x 1.7" (203.2 mm x 215.9 mm x 43.2 mm)
Product Weight	T25: 1.94 lbs (0.88 kg) T25-W: 1.98 lbs (0.9 kg)
Shipping Dimensions (W x D x H)	12.1" x 10.2" x 7.2" (308 mm x 261 mm x 181 mm)
Shipping Weight	4.1 lbs (1.86 kg)
Power	100-240 VAC Autosensing
Power Consumption	24 Watts
MTBF	1,101,388 hours

ENVIRONMENT	OPERATING	STORAGE
Temperature	32 °F to 104 °F (0 °C to 40 °C)	-13 °F to 167 °F (-25 °C to 75 °C)
Relative Humidity	10% to 85% non-condensing	0% to 95% non-condensing
Altitude	0 to 9,843 ft at 95 °F (0 to 3,000 m at 35 °C)	0 to 15,000 ft at 95 °F (0 to 4,570 m at 35 °C)

STRONG SECURITY AT EVERY LAYER

Uniquely architected to be the industry's smartest, fastest, and most effective network security products, WatchGuard solutions deliver in-depth defenses against advanced malware, ransomware, botnets, trojans, viruses, drive-by downloads, phishing and much more. Total and Basic Security Suite packages are available on all Firebox solutions.

	SUPPORT	BASIC SECURITY	TOTAL SECURITY
Stateful Firewall	/	✓	✓
VPN	✓	✓	✓
SD-WAN	✓	✓	✓
Access Portal*	✓	✓	✓
Intrusion Prevention Service (IPS)		✓	✓
Application Control		✓	✓
WebBlocker		✓	✓
spamBlocker		✓	✓
Gateway AntiVirus		✓	✓
Reputation Enabled Defense		✓	✓
Network Discovery		✓	✓
APT Blocker			✓
DNSWatch			✓
IntelligentAV**			✓
ThreatSync (XDR)			✓
EDR Core			5
WatchGuard Cloud Visibility Data Retention		1 Day	30 Days
Support	Standard (24 x 7)	Standard (24 x 7)	Gold (24 x 7)

For details, talk to your authorized WatchGuard reseller or visit www.watchguard.com.

Contact your WatchGuard reseller or call WatchGuard directly (1.800.734.9905) for help determining the right model for your network. Visit www.watchguard.com/sizing to access the online Product Sizing Tool.

802.3ad dynamic, static, active/backup

¹Throughput rates are determined using multiple flows through multiple ports and will vary depending on environment and configuration. Max firewall throughput tested via direct connection using 1518 byte UDP frame based on RFC 2544 methodology. All testing performed on Fireware version 12.6.

 $^{^2}$ UTM throughput is measured using HTTP traffic with AV, IPS, and Application Control enabled, and does not account for all security services available on the appliance.

 $^{^3}$ HTTPS throughput is measured per NetSecOPEN methodology - 256k response with TLS1.2 AES256 + SHA-256.

^{*} Not available on Firebox T20/T20-W, T25/T25-W, or T35-R. Total Security Suite required for M270, M370, M470, M570, M670, Firebox V and Firebox Cloud.

^{**} Not available on Firebox T20/T20-W, T25/T25-W, or T35-R.



FIREBOX T45

Available with optional integrated Wi-Fi 6 wireless module Up to 3.94 Gbps firewall throughput, 5 x 1Gb ports, 30 Branch Office VPNs



ENTERPRISE-GRADE SECURITY FOR BRANCH OFFICES AND RETAIL ENVIRONMENTS

WatchGuard Firebox T45 tabletop appliances bring enterprise-level network security to small office/branch office and retail environments. These appliances are small-footprint, cost-effective security powerhouses that deliver all the features present in WatchGuard's higher-end UTM appliances, including all security capabilities, such as Al-powered anti-malware, threat correlation, and DNS-filtering.

"We are deeply impressed by the outstanding performance of this tabletop device. This device, having one PoE+ port for powering a phone or access point, is an excellent choice for connecting home offices or smaller branch offices."

~ Bernd Och, CEO, BOC IT-Security GmbH

BIG SECURITY IN A SMALL APPLIANCE

With the Total Security Suite, WatchGuard's Firebox includes a complete and industry-best set of threat management solutions, including gateway antivirus, content and URL filtering, antispam, intrusion prevention, application control, Cloud sandboxing, and endpoint protections, all in an easy-to-manage package.

OUICK AND SIMPLE DEPLOYMENT

Zero-touch deployment makes it possible to eliminate much of the labor involved in setting up a Firebox to connect to your network - all without having to leave your office. A robust, Cloud-based deployment and configuration tool comes standard with WatchGuard Firebox appliances. Local staff connects the device to power and the Internet, and the appliance connects to the Cloud for all its configuration settings.

Integrated support for PoE+ means you can avoid running separate power cables to peripheral devices like security cameras, VoIP phones, or wireless access points.

UNIFIED SECURITY PLATFORM® ARCHITECTURE

WatchGuard's Unified Security Platform framework is built from the ground up to enable a single console solution for provisioning, deploying, managing, and monitoring an integrated portfolio of advanced cybersecurity solutions and services. This comprehensive portfolio of endpoint, multi-factor authentication, Wi-Fi, and network security solutions (including Firebox firewall appliances) helps stop the attempted discovery and exploitation of vulnerable systems, phishing, ransomware, intrusions, and advanced malware across all users, environments, and devices. Our Unified Security Platform architecture replaces the old patchwork security approach and makes it possible to extend security capabilities to every computing environment where your business operates.

NETWORK OPTIMIZATION WITH SD-WAN

Firebox T45 makes network optimization easy. With integrated SD-WAN, you can decrease your use of expensive MPLS or cellular connections and inspect traffic from small offices while improving the resiliency and performance of your network.

FEATURES & BENEFITS

- 5 Gigabit Ethernet ports support high-speed LAN backbone infrastructures & gigabit WAN connections.
- Integrated PoE+ port for powering peripheral devices.
- Wi-Fi capable Firebox T45-W-PoE supports the 802.11ax Wi-Fi 6 standard, ensuring fast speeds for your users. Dual concurrent 5 GHz and 2.4 GHz radios.
- All logging and reporting functions included with purchase, with over 100 dashboards and reports including PCI and HIPAA.

Firebox T45 /T45-PoF /T45-W-PoF

TECHNICAL SPECIFICATIONS

/T45-PoE /T45-W-PoE	TECHNICAL SPECIFICATIONS	
THROUGHPUT 1		
UTM (full scan) ²	557 Mbps	
Firewall (IMIX)	1.44 Gbps	
VPN (IMIX)	460 Mbps	
HTTPS Content Inspection (IPS enabled) ³	301 Mbps	
Antivirus	874 Mbps	
IPS (full scan)	716 Mbps	
Firewall (UDP 1518)	3.94 Gbps	
VPN (UDP 1518)	1.58 Gbps	
CAPACITY		
Interfaces 10/100/1000	5	
I/O interfaces	1 Serial/2 USB	
Concurrent connections	3,850,000	
Concurrent connections (Proxy)	3,850,000	
New connections per second	26,500	
VLANs	50	
WSM licenses (included)	0	
VPNTUNNELS		
Branch Office VPN	30	
Mobile VPN	30	
SECURITY FEATURES		
Firewall	Stateful packet inspection, TLS decryption, proxy firewall	
Application proxies	HTTP, HTTPS, FTP, DNS, TCP/UDP, POP3S, SMTPS, IMAPS and Explicit Proxy	
Threat protection	DoS attacks, fragmented & malformed packets, blended threats	
Filtering options	Browser Safe Search, Google for Business	
VPN		
Site to Site VPN	IKEv2, IPSec, Policy and Route Based Tunnels, TLS hub and spoke	
Remote Access VPN	IKEv2, IPSec, L2TP, TLS	
VISIBILITY		
Logging and notifications	WatchGuard Cloud & Dimension, Syslog, SNMP v2/v3	
Reporting	WatchGuard Cloud includes over 100 pre-defined reports, executive summary and visibility tools	
CERTIFICATIONS		
Security	Pending: CC, FIPS 140-2	
Safety	NRTL/CB	
Network	IPv6 Ready Gold (routing)	
Hazardous substance control	WEEE, RoHS, REACH	
NETWORKING		
SD-WAN	Multi-WAN failover, dynamic path selection, jitter/loss/latency measurement	
Dynamic Routing	RIP, OSPF, BGP	
High Availability	Active/passive, active/active	
QoS	802.1Q, DSCP, IP Precedence	
Traffic Management	By policy or application	
IP address assignment	Static, DHCP (server, client, relay), PPPoE, DynDNS	
NAT	Static, dynamic, 1:1, IPSec traversal, policy-based	
Link aggregation	802.3ad dynamic, static, active/backup	



 $^{^2}$ UTM throughput is measured using HTTP traffic with AV, IPS, and Application Control enabled, and does not account for all security services available on the appliance.





PHYSICAL AND POWER SPECIFICATIONS

Product Dimensions (W	/ x D x H)	8" x 8.5" x 1.7" (203.2	2 mm x 215.9 mm x 43.2 mm)	
Product Weight		T45/T45-PoE: 1.94 lbs (0.88 kg) T45-W-PoE: 1.98 lbs (0.9 kg)		
Shipping Dimensions (W x D x H)	12.1" x 10.2" x 7.2" (3	308 mm x 261 mm x 181 mm)	
Shipping Weight		4.1 lbs (1.86 kg)		
Power		100-240 VAC Autos	sensing	
Power Consumption	No PoE: 24 Watts With PoE: 60 Watts			
MTBF		157,751 hours		
ENVIRONMENT	OPERAT	ING	STORAGE	
Temperature	32 °F to 1	04 °F (0 °C to 40 °C)	-13 °F to 167 °F (-25 °C to 75 °C)	
Relative Humidity	10% to 85		0% to 95% non-condensing	
Altitude		8 ft at 95 °F 0 m at 35 °C)	0 to 15,000 ft at 95 °F (0 to 4,570 m at 35 °C)	

STRONG SECURITY AT EVERY LAYER

Uniquely architected to be the industry's smartest, fastest, and most effective network security products, WatchGuard solutions deliver in-depth defenses against advanced malware, ransomware, botnets, trojans, viruses, drive-by downloads, phishing and much more. Total and Basic Security Suite packages are available on all Firebox solutions.

	SUPPORT	BASIC SECURITY	TOTAL SECURITY
Stateful Firewall	/	/	✓
VPN	✓	✓	✓
SD-WAN	✓	✓	✓
Access Portal*	✓	✓	✓
Intrusion Prevention Service (IPS)		✓	✓
Application Control		✓	✓
WebBlocker		✓	✓
spamBlocker		✓	✓
Gateway AntiVirus		✓	✓
Reputation Enabled Defense		✓	✓
Network Discovery		✓	✓
APT Blocker			✓
DNSWatch			✓
IntelligentAV**			✓
ThreatSync (XDR)			✓
EDR Core			20
WatchGuard Cloud Visibility Data Retention		1 Day	30 Days
Support	Standard (24 x 7)	Standard (24 x 7)	Gold (24 x 7)

For details, talk to your authorized WatchGuard reseller or visit www.watchguard.com.

Contact your WatchGuard reseller or call WatchGuard directly (1.800.734.9905) for help determining the right model for your network. Visit www.watchguard.com/sizing to access the online Product Sizing Tool.

 $^{^3}$ HTTPS throughput is measured per NetSecOPEN methodology - 256k response with TLS1.2 AES256 + SHA-256.

^{*} Not available on Firebox T20/T20-W, T25/T25-W, or T35-R. Total Security Suite required for M270, M370, M470, M570, M670, FireboxV and Firebox Cloud.

^{**} Not available on Firebox T20/T20-W, T25/T25-W, or T35-R.



FIREBOX T85

Up to 4.96 Gbps firewall throughput, 8 x 1Gb ports, 60 Branch Office VPNs



HIGH-PERFORMANCE SECURITY THAT EVOLVES WITH YOUR NETWORK

Businesses today are dependent on fast, reliable, and secure Internet connectivity, but struggle to find network security solutions that can keep up, let alone evolve as their needs change. Firebox T85 is one of the highest-performing tabletop appliances on the market and offers optional port expansion modules for integrated fiber connectivity, so you can adapt as your connectivity needs change.

"WatchGuard Firebox T Series firewalls offer a versatile security appliance that's well suited to deployments in home, and small to medium-size office environments. They offer a remarkable range of security features, intuitive management, and throughput your users need to keep up with the pace of business."

~ Dean Calvert, CEO, Calvert Technologies

TOTAL SECURITY, WHEREVER YOU NEED IT

Firebox T85 gives you a powerful tool for administering and enforcing policy across your extended network, allowing you to bring full UTM protection to small and midsize environments for tighter security. With full support for the Total Security Suite, T85 makes it possible to protect your smaller locations with advanced security services like Cloud sandboxing, Al-powered anti-malware, threat correlation, and DNS filtering.

OUICK AND SIMPLE DEPLOYMENT

Zero-touch deployment makes it possible to eliminate much of the labor involved in setting up a Firebox to connect to your network - all without having to leave your office. A robust, Cloud-based deployment and configuration tool comes standard with WatchGuard Firebox appliances. Local staff connects the device to power and the Internet, and the appliance connects to the Cloud for all its configuration settings.

Firebox T85 includes two Power over Ethernet (PoE+) ports to power a peripheral device allowing you to extend the reach of your network without running costly AC power to remote devices. With a port expansion bay, the T85 allows you to customize your port configuration with an SFP+ port for integrated fiber and LTE connectivity right from the appliance.

UNIFIED SECURITY PLATFORM® ARCHITECTURE

WatchGuard's Unified Security Platform framework is built from the ground up to enable a single console solution for provisioning, deploying, managing, and monitoring an integrated portfolio of advanced cybersecurity solutions and services. This comprehensive portfolio of endpoint, multi-factor authentication, Wi-Fi, and network security solutions (including Firebox firewall appliances) helps stop the attempted discovery and exploitation of vulnerable systems, phishing, ransomware, intrusions, and advanced malware across all users, environments, and devices. Our Unified Security Platform architecture replaces the old patchwork security approach and makes it possible to extend security capabilities to every computing environment where your business operates.

NETWORK OPTIMIZATION WITH SD-WAN

Firebox T85 makes network optimization easy. With integrated SD-WAN, you can decrease your use of expensive MPLS or cellular connections and inspect traffic from small offices while improving the resiliency and performance of your network.

FEATURES & BENEFITS

- 8 Gigabit Ethernet ports support high-speed LAN backbone infrastructures & gigabit WAN connections.
- Two Integrated PoE+ ports for powering peripheral devices.
- Adapt as your network evolves with optional SFP+ fiber and 4G/LTE port expansion modules.
- All logging and reporting functions included with purchase, with over 100 dashboards and reports including PCI and HIPAA.

Firebox T85 **TECHNICAL SPECIFICATIONS** THROUGHPUT UTM (full scan) 2 943 Mbps Firewall (IMIX) 2.40 Gbps VPN (IMIX) 680 Mbps **HTTPS Content Inspection** 576 Mbps (IPS enabled) 1.53 Gbps **Antivirus** IPS (full scan) 1.28 Gbps Firewall (UDP 1518) 4.96 Gbps VPN (UDP 1518) 2.04 Gbps CAPACITY Interfaces 10/100/1000 8 1 Serial/2 USB I/O interfaces Concurrent connections 3,850,000 Concurrent connections (Proxy) 3,850,000 New connections per second 35,500 VLANS 75 WSM licenses (incl) 0 **VPN TUNNELS** Branch Office VPN 60 Mobile VPN 60 SECURITY FEATURES Stateful packet inspection, TLS decryption, Firewall proxy firewall HTTP, HTTPS, FTP, DNS, TCP/UDP, POP3S, SMTPS, Application proxies **IMAPS** and Explicit Proxy DoS attacks, fragmented & malformed packets, Threat protection Filtering options Browser Safe Search, Google for Business **VPN** IKEv2, IPSec, Policy and Route Based Tunnels, Site to Site VPN TLS hub and spoke IKEv2, IPSec, L2TP, TLS Remote Access VPN VISIBILITY WatchGuard Cloud & Dimension, Syslog, Logging and notifications WatchGuard Cloud includes over 100 pre-defined Reporting reports, executive summary and visibility tools CERTIFICATIONS Pending: CC, FIPS 140-2 Security Safety NRTL/CB Network IPv6 Ready Gold (routing) Hazardous substance control WEEE, RoHS, REACH **NETWORKING** Multi-WAN failover, dynamic path selection, SD-WAN jitter/loss/latency measurement **Dynamic Routing** RIP, OSPF, BGP **High Availability** Active/passive, active/active

¹ Throughput rates are determined using multiple flows through multiple ports and will vary
depending on environment and configuration. Max firewall throughput tested via direct
connection using 1518 byte UDP frame based on RFC 2544 methodology. All testing performed
on Fireware version 12.6.

² UTM throughput is measured using HTTP traffic with AV, IPS, and Application Control enabled, and does not account for all security services available on the appliance.

QoS

Traffic Management

Link aggregation

IP address assignment



PHYSICAL AND POWER SPECIFICATIONS

Product Dimensions (W x D x H)	8.09" x 11.41" x 1.7" (205.5mm x 290mm x 43 mm)
Product Weight	5.82 lbs (2.6 kg)
Shipping Dimensions (W x D x H)	14.99" x 12.17" x 4.08" (380.5mm x 309.2mm x 103.7 mm)
Shipping Weight	6.83 lbs (3.1 kg)
Power	90-264 VAC Autosensing
Power Consumption	No PoE: 27 Watts 2x PoE: 96 Watts
MTBF	1,155,348 hours

ENVIRONMENT	OPERATING	STORAGE
Temperature	32 °F to 104 °F (0 °C to 40 °C)	-40 °F to 158 °F (-40 °C to 70 °C)
Relative Humidity	10% to 85% non-condensing	10% to 85% non-condensing
Altitude	0 to 9,843 ft at 95 °F (0 to 3,000 m at 35 °C)	0 to 15,000 ft at 95 °F (0 to 4,570 m at 35 °C)

STRONG SECURITY AT EVERY LAYER

Uniquely architected to be the industry's smartest, fastest, and most effective network security products, WatchGuard solutions deliver in-depth defenses against advanced malware, ransomware, botnets, trojans, viruses, drive-by downloads, phishing and much more. Total and Basic Security Suite packages are available on all Firebox solutions.

	SUPPORT	BASIC SECURITY	TOTAL SECURITY
Stateful Firewall	1	/	1
VPN	1	✓	✓
SD-WAN	✓	✓	✓
Access Portal*	1	✓	✓
Intrusion Prevention Service (IPS)		✓	✓
Application Control		✓	✓
WebBlocker		✓	✓
spamBlocker		✓	✓
Gateway AntiVirus		✓	✓
Reputation Enabled Defense		✓	✓
Network Discovery		✓	✓
APT Blocker			✓
DNSWatch			✓
IntelligentAV**			✓
ThreatSync (XDR)			✓
EDR Core			50
WatchGuard Cloud Visibility Data Retention		1 Day	30 Days
Support	Standard (24 x 7)	Standard (24 x 7)	Gold (24 x 7)

For details, talk to your authorized WatchGuard reseller or visit www.watchguard.com.

Contact your WatchGuard reseller or call WatchGuard directly (1.800.734.9905) for help determining the right model for your network. Visit www.watchguard.com/sizing to access the online Product Sizing Tool.

802.1Q, DSCP, IP Precedence

Static, DHCP (server, client, relay), PPPoE, DynDNS Static, dynamic, 1:1, IPSec traversal, policy-based

802.3ad dynamic, static, active/backup

By policy or application

 $^{^3}$ HTTPS throughput is measured per NetSecOPEN methodology - 256k response with TLS1.2 AES256 + SHA-256.

^{*} Not available on Firebox T20/T20-W, T25/T25-W, or T35-R. Total Security Suite required for M270, M370, M470, M570, M670, FireboxV and Firebox Cloud.

^{**} Not available on Firebox T20/T20-W, T25/T25-W, or T35-R.